

客户的需求就是我们所做的一切

All We Do Are Clients Demand



Address: No. 586-590 Shanbian Rd. Dongfu Industrial Zone Haicang Dist,

Xiamen Yansen NC Equipment Co., Ltd

Technical Document

YST-800

Xiamen, Fujian Province, China 361027

Tel: [\(0086\) --0592—6682467](tel:0086-592-6682467)

Website: www.cncyangsen.com



Content

1. Corporate Culture Introduction
2. Features of the whole machine
3. Optomechanical characteristics
4. Technical parameters
5. List of main accessories
6. Machine tool standard configuration
7. Machine tool selection and configuration
8. Attached tools and information list
9. Installation, commissioning, training and acceptance
10. After-sales service concept
11. Working conditions of machine tools



1. Corporate Culture Introduction

Xiamen Yangsen NC Equipment Co., Ltd. is a high-tech enterprise specializing in the development, design, production and manufacture of CNC machine tools and CNC machine tools. The company is based on Taiwan's manufacturing technology, and at the same time integrates many years of manufacturing experience from many equipment manufacturers, constantly absorbing domestic and foreign. With the advanced scientific research achievements in the same industry, it has developed into an exclusive manufacturer with complete production and assembly machining centers today.

The company's products include vertical machining center, high-speed machining center, high-speed drilling and tapping machine, gantry machining center, horizontal machining center, etc. The main customer groups are precision mold manufacturing, automobile manufacturing, electronic communication industry, precision parts Processing industry and aerospace industry, etc. The company has been operating with integrity. The business philosophy of sustainable innovation, with the most cost-effective products, perfect products and perfect services, provides customers with the best solutions, creates the greatest value for customers, and enhances the competitiveness of customers' products.

In the future, the company will continue to adhere to the high-quality policy of "customer first, market first; technology-based, quality wins: the concept, to create value for customers. Innovate research, keep improving, and wholeheartedly meet customer needs and expectations.

Main business: high-speed high-precision engraving and milling machine, vertical machining center series, high-speed drilling and tapping machine, gantry machining center series, horizontal machining center series. Enterprise service: To provide better products and services, we have been working hard and persevering forever. We aim to build a brand, be honest and trustworthy, and achieve mutual benefit and win-win. We help users use equipment better through continuous technological updates and perfect service system, because of our profession we keep improving.

Technical support: professional engineers come to solve equipment selection for customers. Solve the processing requirements of various products of customers, help users choose suitable and economical solutions, and make the products selected by users more cost-effective.

Quality control: Our products have passed ISO9001 quality system and ISO14000 environmental management system certification

After-sales service: The after-sales service network all over the country is the guarantee for our products to be sold all over the country.

2. Machine Features:



3. YST-800 Drilling and Tapping Machine Features:


1. The maximum speed of the BT30 spindle is 20000r/min, and the power of the spindle motor is 5.5kw;
2. Equipped with 21T servo flying saucer tool magazine, the tool change time is only 1.8s;
3. The rapid displacement can reach 60m/min;
4. Rigid tapping speed can reach 6000r/min;
5. The parts of the whole machine include famous brands such as "Japan FANUC system", "Schneider electric components", "Point heat exchanger", "Japan SHOWA oiler" and so






on.

6. Three-axis motor and spindle motor torque:


系统	0i-MF	额定功率kW	额定扭矩N.m	最大扭矩N.m
X轴	α is 8/4000-B	2.5	8	32
Y轴	α is 8/4000-B	2.5	8	32
Z轴	α is 12/4000-B	2.7	12	46
主轴SP	α il 2/20000-B	6	11.5	29.2



α il 2/20000-B



4. Optomechanical characteristics



YST-800 Optomechanical characteristics:

1. The bed of the machine tool is made of precision Meehanite HT300 high-grade cast iron. The stable material and high rigidity mechanism are the basis for the high-speed operation of the machine tool;
2. The guide rail has a large span, the bed is high-precision, and the machine tool weighs 3.4T;
3. The design of the "human"-shaped column is as stable as Mount Tai;
4. Each machine tool has undergone aging, and then passed the laser club inspection, and can only leave the factory after passing the test.

4. Technical parameters:

Item	Spec	Units	YST-800
Travel	X/Y/Z axis	mm	800/450/410
	Spindle nose to table distance	mm	150-560
	Distance from spindle center to column track	mm	520
	Track form		Linear guide
Worktable	Table size (L*W)	mm	1000*450
	The Max. load capacity of the workbench	kg	350
	T-slot	No/mm	3-14*125
Spindle	Spindle taper hole (model/installation size)	mm	BT30
	Spindle RPM	rpm	20000
	Spindle drive mode		Direct Connection
Feed	X/Y/Z axis rapid feed	m/min	60/60/60
	Cutting feed	mm/min	10000
Tool Changer	Tool change		Flying Saucer
	Handle Specifications	type	BT30
	Tool Capacity	tools	21
	Max. Tool Diameter (Proximity Tool)	mm	60
	Max. Tool Diameter (Without Proximity Tool)	mm	80
	Max. Tool Length	mm	200
	Max. Tool Weight	kg	3
	Fastest tool change time	sec	1.85
Motor	Spindle motor	kw	Ai12/20000
	3 axis servo motor	kw	Ais8/4000, Ais8/4000, Ais12/4000B
	Cutting water pump motor	m/h-m	4-60
Accuracy	positioning accuracy	mm	±0.005
	Repeatability	mm	±0.003
Power requirement	power requirements	kva	15
	Air source requirements	Kg/cm	6~8
Machine size	L*W*H	mm	2300*2850*2750
	Weight	t	4.8

3. List of main accessories

NO.	Item	QTY	Brands	Specification
1	CNC system	1	Japan Fanuc	FANUC-OI-MF
2	Electric spindle	1	Japan Fanuc	AiI2/20000
3	X, Y, Z servo motor	1	Japan Fanuc	Ais8/4000, Ais8/4000, Ais12/4000B
4	Main shaft front bearing	1	Japan NSK	
5	Spindle rear bearing	1	Japan NSK	
6	X, Y, Z axis screw bearings	1	Japan NSK	25TAC62
7	X, Y, Z axis ball screw	1	Taiwan PMI	Ø36*P16*C3 Level
8	X-axis linear guide	2	Germany Rexroth	30
9	Y-axis linear guide	2	Germany Rexroth	35
10	Z axis linear guide	2	Germany Rexroth	35
11	Spindle Unit	1	Ruiying	BT30
12	Tool Magazine (Optional)	1	Taiwan Deta	21T
13	Cutting fluid pump	1	YANGSEN	1350W high lift
14	Automatic lubrication system	1	Japan SHOWA	
15	Main pneumatic components	1	Taiwan AirTAC	
16	Main electrical components	1	Schneider	
17	X, Y, Z axis coupling	1 Each	Japan NBK	
18	Heat exchanger	1	Ou Yi	
19	Oil cooler	1	Rico	

If any supplier cannot supply it, it will be replaced by a brand of the same quality.

6. Machine tool standard configuration

ITEM	Spec	ITEM	Spec
1	Fully Enclosure Guard	11	Rigid Tapping
2	Tool Box	12	Network Transmission
3	Spindle Coolant Nozzles	13	Hand Wheel
4	Coolant System	14	Spindle Nose Air Blow
5	Coolant Tank & Chip Tray	15	Air Gun
6	Safety Door	16	Auto Off
7	Heat Exchange for Electric Cabinet	17	Leveling Bolts and Pads
8	Work Light	18	21T Flying saucer tool magazine
9	Water Gun	19	
10	Warning Light	20	

7. Machine Tool Selection and Configuration

NO.:	Items	NO.:	Items
1		9	
2		10	
3		11	
4		12	
5		13	
6		14	
7		15	
8			

If the user chooses other special configurations, please contact the technical department.

8. List of attached tools and materials

No.:	Item	Specification	QTY	Remarks
1	Allen Wrench	1.5-10	1 Set	
2	Screwdriver	Slotted	1 Each	
3	Screwdriver	Phillips	1 Each	
4	Raw Tape		2 Rolls	
5	Glass Glue	Porcelain white	1 Bottle	
6	Electronic Handwheel		1 PCs	
7	Card Reader		1 PCs	
8	Memory Card		1 PCs	
9	Cable	5 Meters, 20 Meters	2 Pieces	
10	Snap Ring		1 PCs	
11	Screw		1 Package	



12	Machine Tool Ground		1 Stick	
13	Bellows Connector		1 PCs	
14	Toolbox		1 PCs	
15	Floor Mat		1 Set	
16	Operation Manual		1 PCs	
17	Certification		1 PCs	

9. Installation, commissioning, training and acceptance

1. Installation and commissioning: After the machine tool arrives at the customer's factory, our service engineer will go to the customer's factory in time to carry out installation and commissioning and on-site training.
2. Customers can choose to send operators to our company to be responsible for the preliminary training for about a week, and then our company will conduct on-site training at the customer's place during installation and commissioning.
3. Acceptance: Accuracy acceptance, according to the ex-factory accuracy inspection table provided by the supplier, inspect the items that are conditionally inspected at the customer's place, and test the inspection items that do not meet the inspection conditions, such as positioning accuracy, spindle taper hole accuracy inspection stick test etc., no testing shall be carried out at the buyer's place, or the buyer shall send personnel to the supplier's factory for inspection and acceptance through negotiation between the two parties.

10 Xiamen Yangsen NC Equipment After-sales Commitment Letter

1. Pre-sales service: Janssen's sales team will provide users with the best processing solutions, including machine tool selection, option configuration, tool and fixture selection, lubricating oil, cutting fluid management and other series of services. And can provide turnkey projects.
2. Maintenance response time: Our company has a service team of up to 50 people and is equipped with a complete service vehicle. After receiving the user's notification of failure, we will respond within 8 hours.
3. Parts inventory: Janssen has a special production workshop and parts inventory in Xiamen, with strong strength and complete inventory. There are commonly used parts inventories in each office to provide users with the fastest repair parts.
4. Machine tool maintenance: All machine tools within the warranty period enjoy free maintenance services,



and machine tools outside the warranty period can purchase maintenance services at an economical and reasonable price. And PCs can plan equipment management and maintenance processes according to customer needs.

5. Maintenance charges after the warranty period: The charging standard is clearly marked and the real price is charged, only the cost is charged, and the user is served with the concept of openness, fairness and fairness. After the maintenance period, our company is responsible for providing spare parts at preferential prices for a long time, and the maintenance service fee time is not more than 48 hours;

6. Ad hoc old user service department: closely track the use of machine tools, and deal with maintenance complaints in a timely manner.

7. Maintenance supervision: the general manager also serves as the director of the after-sales service department, supervises the quality of maintenance services in real time, and protects the rights of customers.

8. Warranty: From the date of acceptance of the equipment, a one-year warranty period is provided. During the warranty period, our company is responsible for free maintenance for equipment failures caused by users. If the fault is caused by improper use by the user, the cost fee will be charged after the service.

11. Machine Tool Working Conditions

1. Three-phase AC power supply: 380V±10%, -15%; 50Hz±1Hz
2. Ambient temperature: 8 ~ 40C°
3. Relative humidity: ≤80%
4. Air pressure: 0.6 ~ 0.8 MPA

Xiamen Yangsen NC Equipment Co., Ltd

The company's products are constantly being developed and improved, and specifications may be changed without notice. Some images in this document may contain optional items.

The pictures in this document are for reference only, and the actual product shall prevail.